

Global Metals & Mining

Direct Lithium Extraction: A potential game changing technology

The implementation of Direct Lithium Extraction (DLE) technologies has the potential to significantly increase the supply of lithium from brine projects (much like shale did for oil), nearly **doubling lithium production** on higher recoveries and improving project returns, though with the added bonus of offering ESG/sustainability benefits, while also **widening rather than steepening the lithium cost curve**. We explore the progress, economics, and implications of DLE being implemented at scale, with increasing relevance in the context of Chile's recent National Lithium Policy.

- Potential game changing technology:** A number of proven DLE technologies are emerging and being tested at scale, with a handful of projects already in commercial construction. While there may still be challenges around scalability and water consumption/ brine reinjection, with the ongoing efforts, DLE could be implemented between 2025-2030 in both Chile and Argentina, in our view (compared with market skepticism on development by 2030). We estimate on scenarios/benchmarking the capital intensity range of DLE is comparable with a traditional pond project, where risk of a higher upfront capital intensity is potentially offset by lower unit costs. We see NPV breakeven for a DLE project (80%+ recovery) vs. a traditional pond (~50%) at opex of <US\$5,700/t (on GSe lithium prices), and look to our upcoming trip to Argentina to affirm our analysis.
- Cost curve & supply/demand impacts:** Our analysis suggests that DLE will widen, rather than steepen, the lithium brine cost curve with an average project likely sitting in the second or third cost quartile. With resulting additional lithium supply we also see risk that **DLE implementation could extend the size and duration of lithium market surpluses/reduce deficits** vs. our base case SD balance (without a pull forward of demand with new supply), where ~20-40% of LatAm brine projects implementing DLE (recovery from ~50% to ~80%) could add ~70-140ktpa LCE from 2028+, increasing GSe global raw supply by c.8%.
- Best placed to benefit:** We **prefer briners over miners** in the lithium sector over the medium term, with DLE offering significant potential to increase lithium output on improved recoveries and lift project economics. We reiterate our **Buy ratings on Allkem/RIO (on CL)/Qinghai** and highlight 27 global lithium projects using/implementing DLE and nine advancing third-party technology developers.

Hugo Nicolaci
 +61(2)9321-8323
 hugo.nicolaci@gs.com
 Goldman Sachs Australia Pty Ltd

Paul Young
 +61(2)9321-8302
 paul.young1@gs.com
 Goldman Sachs Australia Pty Ltd

Nicholas Snowden
 +44(20)7774-5436
 nicholas.snowdon@gs.com
 Goldman Sachs International

Aditi Rai
 +44(20)7774-5179
 aditi.ra@gs.com
 Goldman Sachs International

Trina Chen
 +852-2978-2678
 trina.chen@gs.com
 Goldman Sachs (Asia) L.L.C.

Joy Zhang
 +852-2978-6545
 joy.x.zhang@gs.com
 Goldman Sachs (Asia) L.L.C.

Yan Lin
 +852-2978-7020
 yan.lin@gs.com
 Goldman Sachs (Asia) L.L.C.

Elise Bailey
 +61(3)9679-1344
 elise.bailey@gs.com
 Goldman Sachs Australia Pty Ltd

Roy Shi
 +852-2978-0110
 roy.shi@gs.com
 Goldman Sachs (Asia) L.L.C.

Nick Zheng, CFA
 +852-2978-1405
 nick.zheng@gs.com
 Goldman Sachs (Asia) L.L.C.

Goldman Sachs does and seeks to do business with companies covered in its research reports. As a result, investors should be aware that the firm may have a conflict of interest that could affect the objectivity of this report. Investors should consider this report as only a single factor in making their investment decision. For Reg AC certification and other important disclosures, see the Disclosure Appendix, or go to www.gs.com/research/hedge.html. Analysts employed by non-US affiliates are not registered/qualified as research analysts with FINRA in the U.S.

Table of Contents

| | |
|---|----|
| The Benefits & Economics: How DLE compares to traditional brine ponds | 3 |
| The Supply/Demand Implications: New DLE supply from 2025+ | 10 |
| The Well Positioned: Projects/stocks that could benefit from DLE | 15 |
| LatAm lithium resources | 19 |
| The Technology: DLE vs. traditional brine evaporation | 21 |
| Commodity and FX forecasts | 29 |
| Valuation methodology & Investment risks | 30 |
| Disclosure Appendix | 31 |

The Benefits & Economics: How DLE compares to traditional brine ponds

Direct Lithium Extraction (DLE) has the potential to significantly impact the lithium industry, with implementation on the extraction of lithium brines potentially revolutionary to production/capacity, timing, and environmental impacts/permitting.

Much like shale did for oil, DLE has the potential to significantly increase the supply of lithium from brine projects, nearly doubling lithium production/yield (taking recoveries from 40-60% to 70-90%+) and improving project returns, though with the added bonus of offering sustainability benefits and ESG credentials for its implementors (land usage from lack of ponds declines >20x, water usage and metrics improve on potential brine reinjection), while also widening (rather than steepening) the lithium cost curve.

A number of proven DLE technologies are emerging and being tested at scale, with a handful of projects already in commercial scale construction (some China projects in production). Though the application of technologies used in DLE processes may be fairly new to the lithium industry, many are already utilised across other commodities.

While there may still be key challenges around scalability, water consumption, and brine reinjection, with the ongoing efforts, DLE could be implemented between 2025-2030 in both Chile and Argentina, in our view, both as greenfield projects and brownfield expansions, or to enhance recoveries of existing pond operations. Chile's recent National Lithium Policy (NLP) also pushes for new lithium projects to implement DLE for water/environmental concerns, further supporting an accelerating implementation of DLE technologies. This compares with market skepticism around commercial development of DLE by the end of the decade (from discussions with investors).

We set out a summary of the processes for traditional brine ponds and key DLE technologies below, with a more detailed comparison of the variations in a later section.


Exhibit 1: Comparison of lithium extraction methods

| Lithium extraction methods | Hard Rock | Brine | |
|---|--|--|--|
| | Mining | Evaporation | DLE |
| Production times (extraction to production) | Weeks to months | Months to years | Hours to days |
| Lithium recovery rates | ~60-80% (processing) | ~40-60% | ~70-90%+ |
| Costs | Medium-High | Low | Low-Medium |
| Capex | Varied on grade/chemical conversion | ~US\$23-34,000/tpa LCE | ~US\$26-34,000/tpa LCE |
| Opex | | ~US\$3,300-4,900/t LCE | ~US\$2,800-3,600/t LCE |
| Lithium product | Spodumene (~5-6% Li ₂ O) | Lithium Carbonate (Li ₂ CO ₃) / Lithium Chloride (LiCl) | Lithium Carbonate (Li ₂ CO ₃) / Lithium Chloride (LiCl) |
| Process | Heating, cooling, crushing, and roasting | Staged atmospheric evaporation, plant processing | Adsorption (Ad), Ion Exchange (IX), Solvent Extraction (SX), Membrane |
| Further processing requirements | Yes | No (subject to end use) | No (subject to end use) |
| Land area requirement | High | High | Low |
| Weather dependence | Yes | Yes | No |
| Water consumption | High | Medium-High | Low-Medium (subject to reinjection availability) |
| Energy Consumption | High | Low (free solar evaporation) | Medium |
| Emissions | High | Low | Low |

Generalised; IX often already utilised in sorption and pond processes for impurity removal; Brine capital intensity and opex based on GSe modeled scenarios outlined below.

Source: Company data, Data compiled by Goldman Sachs Global Investment Research

Exhibit 2: Traditional process of Brine Extraction vs. DLE, and timing of each stage



Indicative timings; pond based on Olaroz flowsheet

Source: Company data, Goldman Sachs Global Investment Research

DLE implementors and technology developers

Several lithium projects are utilising or in the process of selecting technologies for DLE implementation, while a number of large global OEMs and miners (who may also be interested in by product application for extraction of other elements, such as potassium) have backed or have stakes in some technology developers. We outline in the table below 27 global lithium projects that are using or plan to implement DLE, along with a further nine advancing third-party technology developers.

Exhibit 3: DLE has a growing number of developers and future implementors

DLE implementors & technology developers

| Company | Project | Country | DLE Project stage | DLE technology provider | Lithium extraction technology | Tech Origin | Geothermal | Resource (Mt LCE) | Start date | Capacity (ktpa LCE) |
|---|-----------------------------|-----------|----------------------------|--|-------------------------------|-------------|------------|-------------------|------------|---------------------|
| Lithium project developers/operators | | | | | | | | | | |
| Eramet/Tsingshan | Centenario-Ratones | Argentina | Construction | Proprietary | Sorption | - | - | 10 | 2024 | ~24+50 (P1+P2) |
| Livent | Fenix (Hombre Muerto) | Argentina | Production | Proprietary | Sorption | USA | - | 12 | 1998 | ~80 (3 expansions) |
| RIO | Rincon | Argentina | Pilot | Proprietary | Sorption | - | - | 12 | 2024 | 30 |
| Lake Resources | Kachi Project | Argentina | Pilot | Lilac Solutions | IX | USA | - | 4 | 2024 | 25 |
| Allkem | Olaroz enhanced recoveries | Argentina | Study | TBD (in testing phase) | TBD | TBD | - | - | - | - |
| Tibet Summit Resources | Angeles | Argentina | Construction | SunResin | Sorption | China | - | 2 | 2024 | 25 (P1) |
| Eon Minerals | Amanecer | Argentina | Pilot | Proprietary | Sorption | Argentina | - | - | - | - |
| Albemarle | Atacama | Chile | Pilot | Proprietary LIET / Third party testing | TBD | TBD | - | 11 | 2023 | - |
| SQM | Atacama | Chile | Pilot | Proprietary / Third party testing | TBD | TBD | - | 68 | 2024 | 220-250 |
| CleanTech Lithium | Laguna Verde | Chile | Pilot | SunResin | Sorption | China | - | 2 | 2026 | 20 |
| CleanTech Lithium | Francisco Basin | Chile | Pilot | TBD (in testing phase) | TBD | TBD | - | 1 | - | - |
| Lanke Lithium | Yiliping Lake | China | Production | SunResin | Sorption | China | - | - | 2017 | 20 |
| Zangge lithium | Chalkhan Lake | China | Production | SunResin | Sorption | China | - | - | 2018 | 20 |
| Jintai Lithium | Mahai Lake | China | Production | SunResin | Sorption | China | - | - | 2019 | 7 |
| Tibet National | Qinghai | China | Commissioning | SunResin | Sorption | China | - | - | - | - |
| Yiwei Lithium | Qinghai Salt Lake | China | Construction | SunResin | Sorption | China | - | - | - | - |
| Anson Resources | Paradox Lithium | USA | Pilot/DFS | SunResin | Sorption | China | - | - | - | - |
| Compass Minerals | Great Salt Lake | USA | Pilot | Energy Source Minerals (LIAD) | Sorption | USA | - | 2 | 2025 | 35 |
| Berkshire Hathaway | Salton Sea | USA | Pilot | Proprietary | Sorption | USA | Yes | - | - | 90 |
| Energy Source Minerals | Salton Sea (Project ATLIS) | USA | Pilot | Proprietary (LIAD) | Sorption | USA | Yes | - | 2024 | 20 |
| Controlled Thermal Resources | Salton Sea | USA | Pilot | Lilac Solutions | IX | USA | Yes | - | - | 25 |
| Controlled Thermal Resources | Hell's Kitchen | USA | Offsite Pilot | Lilac Solutions | IX | USA | Yes | 3 | 2024 | 25 |
| Standard Lithium | Smackover (Lanxess Project) | USA | Demonstration | Proprietary (LISTR) | IX | USA | - | 3 | - | 22 |
| American Battery Materials | Lisbon Lithium Project | USA | Pilot | TBD (in testing phase) | TBD | USA | - | - | - | - |
| E3 Metals Corp | Clearwater | Canada | Pilot | Proprietary | IX | Canada | - | 7 | 2025 | 20 |
| LithiumBank | Boardwalk | Canada | Pre-PEA | Conductive Energy | IX | Canada | - | 6 | - | - |
| Vulcan Energy | Upper Rhine Valley | Germany | Pilot | Proprietary (VULSORB) | Sorption | Germany | Yes | 16 | 2024 | 48 |
| Technology developers | | | | | | | | | | |
| Summit Nanotech | - | - | Pilot/Demo | Proprietary (denaLi) | Sorption | Canada | - | - | - | - |
| SunResin | - | - | Commercial (growing scale) | Proprietary | Sorption | China | - | - | - | - |
| International Battery Metals (IBAT) | - | - | Demo/Commercial | Proprietary | Sorption | USA | - | - | - | - |
| Koch Technology Solutions | - | - | Lab/Pilot | Proprietary (Li-Pro) | Sorption | USA | - | - | - | - |
| Lilac Solutions | - | - | Demo/Commercial | Proprietary | IX | USA | - | - | - | - |
| Conductive Energy | - | - | Pilot/Demo | Proprietary | IX | Canada | - | - | - | - |
| EnergyX | - | - | - | Proprietary (LITAS) | Membrane | USA | - | - | - | - |
| Geo40 | - | - | Lab | Proprietary (GeoSieve) | Membrane | NZ | Yes | - | - | - |
| Solvay | - | - | Pilot | Proprietary (CYANEX 936P) | SX | Belgium | - | - | - | - |

List not exhaustive; Technology developers listed separately where not developing own resource; Geothermal category for project/tech that is specifically geothermal - technologies may be applicable across resource types; Quoted resource/start date may apply to whole project rather than planned expansion.

Source: Company data, Data compiled by Goldman Sachs Global Investment Research

Scenario economics and real world asset benchmarking


While we believe there is increasing awareness of the technological implications of DLE around increased recoveries/production and accelerated ramp-up of projects, the economics of its implementation, along with the implementation of the various technologies in other mineral commodity extraction, remain underappreciated, in our view.

In this context, we provide a desktop indicative analysis of the possible economics of a DLE project vs. a traditional brine pond under a range of scenarios, informed by existing projects and our sense checks with industry participants, along with a comparison to announced projects.

These scenarios assume a hypothetical brine resource is extracted at the same grade and volume at ~25ktpa contained LCE over a 20-yr production life to produce and sell the same quality of lithium carbonate product, both as a DLE (which ramps up 18mths faster vs. traditional ponds though with higher nominal capex/opex) and a traditional evaporation pond project.


We expect a DLE project achieves recoveries of ~70-90% producing ~18-23ktpa LCE (though model a wider 50-100% range covering up and downside risk), while a traditional brine pond achieves recoveries of ~40-60% producing ~10-15ktpa LCE (again modeling a wider 30-80% range to capture upside risk of improving recoveries of newer pond projects). We expect plant and processing infrastructure drive a higher upfront capex for a DLE project, which more than offsets the lack of traditional pond infrastructure.

Exhibit 4: DLE can increase lithium recoveries to 70-90%, from 40-60% for traditional ponds
Annual lithium carbonate production (ktpa LCE) on modeled scenario lithium recoveries



Source: Company data, Goldman Sachs Global Investment Research

Exhibit 5: Plant and processing infrastructure are likely the bulk of higher DLE capex
Pond vs. DLE project indicative capex split for mid-point of scenario modeling (US\$m)



SdV Stage 1 & 2 technical study (2022) split for pond capex, apportioned to mid-point of capex scenario estimates; DLE plant capex taken as balancing item of capital items (as no pond capex) for illustrative purposes.


Source: Company data, Goldman Sachs Global Investment Research

Though there remains a range of outcomes subject to capital and opex requirements of a DLE project, ultimately the improvement in the achieved lithium recovery and resulting increase in annual production is the key driver of economic outcomes, in our view, supporting the implementation of DLE over traditional brine ponds. Therefore our scenarios predominantly test input assumptions (capex/opex/price etc) against achieved recovery.

The charts below outline the required lithium price of a mid-range DLE project (80% recovery/~20ktpa LCE) vs. pond the recovery range (40-60%/~10-15ktpa LCE). We see **NPV breakeven for a DLE project with a mid-point 80% recovery vs. a traditional pond with a bottom end 40% recovery on our mid case capex estimates (capital intensity ~US\$30,000/tpa LCE), and GSe lithium pricing, requiring an opex unit cost of <US\$7,500/t**. When compared with a **pond at the top end of the recovery range at 60%, this opex unit cost requirement for break even would fall to <US\$4,000/t** (though we expect most pond-only projects are unlikely to consistently achieve overall lithium recoveries as high as 60%). **Compared to a mid-point 50% recovery pond, the breakeven opex unit cost would be <US\$5,700/t**.

We note these economic outcomes only reflect the 18 month faster production ramp up, and don't consider any possible benefits from product grade variation, or lower land usage and water loss that may accelerate environmental permitting and hence the project timeline of new projects (also benefiting NPV). The application of the technology for selective removal of by-products (such as potassium) into their own saleable products may also improve the economics of DLE projects.


Exhibit 6: DLE project (80% recovery) NPV breakeven vs. pond project (40% recovery) at varying lithium prices
Opex unit cost (US\$/t LCE; FOB, pre-royalty) vs. capital intensity (US\$/tpa LCE)



DLE capex range US\$300-900mn in US\$100mn increments for resulting capital intensity on an 80% recovery DLE project (~20ktpa LCE) vs. a pond project at 40% recovery (~10ktpa LCE).

Source: Goldman Sachs Global Investment Research

Exhibit 7: DLE project (80% recovery) NPV breakeven vs. pond project (60% recovery) at varying lithium prices
Opex unit cost (US\$/t LCE; FOB, pre-royalty) vs. capital intensity (US\$/tpa LCE)




DLE capex range US\$300-900mn in US\$100mn increments for resulting capital intensity on an 80% recovery DLE project (~20ktpa LCE) vs. a pond project at 60% recovery (~15ktpa LCE).

Source: Goldman Sachs Global Investment Research

At our mid-case scenarios outlined above, and on GSe lithium prices, we model a **NPV range for a DLE project of ~US\$0.6-1.1bn on a 70-90% recovery range for an IRR of c. 20-30%**, while a traditional brine pond has a **NPV of US\$0.3-0.7bn on a 40-60% recovery range for an IRR of c. 20-25%**. Put another way, a DLE project with bottom end recovery (70%) achieves a higher NPV than a mid-upper end recovery (50-60%) pond project.

Exhibit 8: Pond vs. DLE project NPV on production recovery at price scenarios

NPV (US\$m) vs. production recovery (%)




Pricing scenarios US\$10,000-40,000/t carbonate, with GSe pricing scenario shown as line. Dotted lines equate base DLE recovery range at 70-90% to pond scenarios.

Source: Company data, Goldman Sachs Global Investment Research

Exhibit 9: Pond vs. DLE project IRR on production recovery at price scenarios

IRR (%) vs. production recovery (%)



Pricing scenarios US\$10,000-40,000/t carbonate, with GSe pricing scenario shown as line. Dotted lines equate base DLE recovery range at 70-90% to pond scenarios.

Source: Company data, Goldman Sachs Global Investment Research


As outlined in the charts below, we estimate **the capital intensity range of DLE is comparable with a traditional pond project after adjusting for higher recoveries, with a capital intensity range of DLE at ~US\$26-34,000/tpa LCE at a 70-90% recovery rate** on upfront capex of US\$600mn (mid-point of US\$300-900mn estimate range), and a **traditional pond range of ~US\$23-34,000/tpa LCE at a lower 40-60% recovery range** on upfront capex of US\$350mn (US\$200-500mn estimated range). DLE at commercial production levels may also be more incrementally/rapidly scalable without the need for new brine ponds.

However, **we expect the risk of a higher upfront capital intensity of DLE vs. evaporation ponds is offset by lower unit costs resulting from higher production on improved lithium recovery**. We estimate an **opex unit cost (FOB, pre-royalty) range of DLE at ~US\$2,800-3,600/t LCE at an 70-90% recovery rate** on annual opex of US\$65mn (mid-point of US\$35-95mn estimate range), compared with a **traditional pond range of ~US\$3,300-4,900/t at a lower 40-60% recovery range** on opex of US\$50mn (US\$20-80mn estimated range for ponds at this scale). These ranges will likely be subject to the grade of the resource and the availability & cost of reagents, though we note the possibility of more unique reagents/eluents being used in DLE may also reduce opex variability (less used by other markets/accessibility to site of acids vs. soda ash), while we note traditional pond unit costs may reduce more at scale (though with increased permitting challenges for the ponds/land required). We further highlight that, like with most new technologies, the capex and opex intensity may improve as DLE technology and implementation advances beyond the first wave of implementation.

As a sense check of our hypothetical resource modeling, in the range charts below we also benchmark a selection of existing real world green and brownfield lithium brine projects on both capital & opex intensity. In this context we highlight that Eramet’s Centenario-Ratonos project is a commercial scale DLE (sorbent) project with Phase 1 already in construction (~24ktpa LCE commissioning targeted 1Q24 and full ramp up mid-2025) following on site pilot testing since 2019, with FID on a Phase 2 targeted by year-end 2023 (additional ~50ktpa LCE). Livent’s Fenix Expansions 1 & 2 are both utilising their DLE technology, while Expansion 3 uses conventional brine ponds to utilise the already existing pond infrastructure from earlier stages to achieve a lower capital intensity on spent capital (rather than implying their DLE technology has been less effective than planned).

Exhibit 10: Pond vs. DLE project capital intensity vs. production recovery at varied capex scenarios

Capital intensity (US\$/tpa LCE capacity; FOB, pre-royalty) vs. production recovery (%)




Capex/opex ranges on GSe modeled outcomes as described above (with shorter DLE build time/ramp up), and assumes an Argentinian fiscal regime on a constant FX rate; Capex excludes VAT as may be partially reimbursed, consistent with company estimates; Recoveries rounded to nearest 10% and are resource recovery (project technical studies may quote plant recovery); Centenario Phase 1 (~24ktpa) based on Eramet Mar-23 release and includes supporting infrastructure not replicated in Phase 2 (~50ktpa) or other included comparable brownfield projects, Phase 2 GSe on recent industry inflation; Fenix expansions (1: 20ktpa; 2: 30ktpa; 3: up to 30ktpa) based on Livent Feb-23 presentation (mid-point where ranges given), with Exp. 3 capex/recovery a GSe on repurposed pond infrastructure; Angeles (SunResin tech) estimated on PLASA parent co, Tibet Summit’s funding partner, Honbridge Holdings’ reported (Apr-23) capex of ~US\$700mn combined with ~US\$100mn spend on Phase 1 (~25ktpa) DLE equipment from SunResin, with recovery taken at mid-range of our DLE estimates of 80% (though early work has been reported at >90%); Olaroz S1 (17.5ktpa) reported 2014 completion capex (intensity of ~US\$13,000/tpa) inflated to comparable real \$; Fenix initial project recovery/capex estimated and inflated to comparable real \$; Cauchari-Olaroz capital intensity Stage 1 (~40ktpa) as of Mar-23, with planning for Stage 2 expansion (at least 20ktpa) continuing to progress to align with completion of Stage 1; Atacama (SQM) feeding Antofagasta Carmen 2024 plant capacity extension on Mar-23 capex (30ktpa); SQM/ALB DLE projects not shown pending cost updates; Olaroz Stage 2 (25ktpa) and Sal de Vida Stage 1 & 2 (15ktpa & 30ktpa) costs based on Allkem 2022 technical reports; Kachi (Lilac tech) estimates based on Lake’s 2021 FS at (25ktpa), though updated DFS due mid-2023 (~50ktpa) following pilot/demo completion. Dotted lines equate base DLE recovery range at 70-90% to pond scenarios.

Source: Company data, Goldman Sachs Global Investment Research

Exhibit 11: Pond vs. DLE project unit cost vs. production recovery at varied opex scenarios

Opex unit cost (US\$/t LCE; FOB, pre-royalty) vs. production recovery (%)



Production/recovery numbers as per previous Exhibit notes unless noted; SQM shown on 2022 costs and estimated recovery; Angeles quoted costs from partner may not be like for like; Centenario Phase 2 unit costs estimated on assumption ~40% Phase 1 costs are fixed, which increase 1.5x on Phase 2, while variable costs increase proportionally to volume; Growth projects are life of mine (LOM) real unit costs, while operating assets are 2022 reported unit costs; Fenix taken at Woodmac unit cost estimate for 2022, and first year of full production for expansions; Cauchari-Olaroz operating costs on Oct-20 DFS. Dotted lines equate base DLE recovery range at 70-90% to pond scenarios.

Source: Company data, Goldman Sachs Global Investment Research

The Supply/Demand Implications: New DLE supply from 2025+

Much like shale did for oil, Direct Lithium Extraction (DLE) has the potential to significantly increase the supply of lithium from brine projects - although unlike shale, which typically sits toward the top of the oil cost curve, the cost analysis set out above suggests that **DLE will widen, rather than steepen, the lithium brine cost curve with an average project likely sitting in the second or third cost quartile.**

DLE in contrast to shale also offers lower perceived environmental risk and significant environmental benefits vs. traditional brine ponds, nearly doubling lithium production/yield (taking recoveries from 40-60% to 70-90%+) and improving project returns, offering sustainability benefits and ESG credentials for its implementors (land usage from lack of ponds declines >20x, water usage and metrics improve on potential brine reinjection), while also widening (rather than steepening) the lithium cost curve. These benefits may also support improved timelines for community and permitting approval, while enhanced production on higher recoveries could also improve/bring forward government take from projects.

While the impact of DLE on market dynamics will be linked to the pace and scale at which it is adopted, as we highlight ([Exhibit 3](#)), there are a significant number of resources business and technology providers that have been incentivised to find technological improvements to lithium resource extraction as a result of record lithium prices that are well above the marginal cost of existing and proposed lithium supply (and thus more than offset the upfront R&D costs). Policy changes, such as Chile's recent NLP, may further support an accelerating implementation of DLE technologies.

DLE offers a potential game changing technology for lithium supply, and while there may still be key challenges around scalability and water consumption, with the ongoing efforts, DLE could be implemented between 2025-2030 in both Chile and Argentina, in our view. This compares with [market skepticism](#) (based on discussions with investors) around commercial development of DLE technology by the end of the decade.


Following on from the project economic analysis above, **we set out below an indicative impact to both the LatAm lithium brine cost curve vs. industry estimates, and lithium market supply/demand dynamics vs. the GSe base case.** While implementation at this scale may be unlikely on a five-year view, and is not included in our supply/demand base case, the analysis gives an indicative guide as to the potential cost curve and supply/demand impacts of the implementation of DLE.

Cost curve

Our cost analysis above suggests that DLE will widen, rather than steepen, the LatAm lithium brine cost curve with an average project likely sitting in the second/third cost quartile, with an estimated opex range of US\$2,800-3,600/t. The chart below sets out the potential DLE impact to a five-year forward (2028) LatAm lithium brine industry cost curve (Woodmac), under an indicative only scenario if ~30% of LatAm lithium brine projects (GSe) implemented DLE in some form and took average extracted brine lithium recoveries from ~50% to 80% (mid-point DLE scenario recovery range), with an ~18

month timing benefit on faster ramp up than traditional ponds. We highlight this level of accelerated ramp up of DLE-linked projects in five years is unlikely, in our view, with the curve only illustrating the potential cost curve impact from DLE implementation.

Exhibit 12: We estimate that DLE implementation will widen, rather than steepen, the lithium brine cost curve
 2028 LatAm lithium brine cost curve with impact of DLE additions (US\$/t LCE FOB; pre-royalty)




All volume and costs estimates are Woodmac (may differ vs. GSe supply forecasts) and don't include small scale projects proposed or already in production, Centenario Phase 2 added at WM Phase 1 costs; DLE indicative ranges on GSe. Indicative scenario if 30% of LatAm projects (GSe) implemented DLE in some form and took recoveries from an average 50% extracted brine lithium recovery to 80% recovery (mid-point DLE scenario recovery range), with an ~18 month timing benefit on faster ramp up than traditional ponds.

Source: Woodmac, Goldman Sachs Global Investment Research

The charts beneath show the 2022 and industry 2028 cost curves.


Exhibit 13: While only a handful of projects produced in 2022...
 2022 LatAm lithium brine cost curve (US\$/t LCE FOB; pre-royalty)



Indicative; Combination of reported 2022 volumes and costs (approximated from accounts where not specified)

Source: Company data, Goldman Sachs Global Investment Research

Exhibit 14: ...several projects of scale will be in production by 2028
 2028 LatAm lithium brine cost curve (US\$/t LCE FOB; pre-royalty)



All volume and costs estimates are Woodmac (may differ vs. GSe supply forecasts) and don't include small scale projects proposed or already in production, Centenario Phase 2 added at WM Phase 1 costs

Source: Woodmac, Data compiled by Goldman Sachs Global Investment Research

Supply/demand


Globally brine makes up nearly two thirds of lithium resources, though only c.40% of production (2022), where production from the Lithium Triangle (Bolivia, Chile, Argentina) has lagged that from spodumene sources like Australia. While our base case lithium supply forecast has this share of production continuing to decline, the implementation of DLE may increase brine’s share of output, where new brine projects or those with expansions planned are likely able to implement components of DLE technology, which could also bring project ramp ups forward ~18 months. Policy changes, such as Chile’s recent National Lithium Policy (NLP), may further support an accelerating implementation of DLE technologies.

The DLE impact to supply/demand, simplistically, if ~20-40% of our base case LatAm brine projects implemented DLE in some form, increasing their recoveries from ~50% to ~80% (mid-points of above project economic analysis) and accelerating supply by ~18 months, this could add ~70-140ktpa of LCE from 2028+ (GSe LatAm brine supply ~540kt; Woodmac ~800kt), which on GSe supply numbers would increase LatAm brine supply c.35% (average 2026-2030E) and our global raw supply by c.8%.

These impacts are in addition to Eramet’s Centenario Phase 1 (ramped up by 2025), and Livent’s proposed expansions at Fenix, where we note this excludes the impact of newly economic projects that work with DLE, any DLE supply linked to brine projects in China, or DLE implementation on European/North American geothermal brines, where all may increase the lithium supply impact of DLE.


Put another way, **DLE implementation could extend the size and duration of lithium market surpluses/reduce deficits vs. our base case** (without a pull forward of demand with new supply).

Exhibit 15: GSe base case Global raw lithium supply with the addition of 30% of LatAm brine projects adopting DLE
Global lithium raw supply (kt LCE)



Source: Goldman Sachs Global Investment Research

Exhibit 16: Global lithium balance under DLE scenarios
Global lithium supply surplus/(deficit) (kt LCE)




SD balance reflects recently updated demand estimates

Source: Goldman Sachs Global Investment Research

Exhibit 17: Brine makes up only c.40% of global lithium supply (2022) though nearly two thirds of global lithium resources...


Global lithium supply composition (kt LCE)



Source: Goldman Sachs Global Investment Research

Exhibit 18: ...where implementation of DLE may increase brine's share of output


Global lithium supply composition (%)



Source: Goldman Sachs Global Investment Research

Exhibit 19: With brine a significant portion of China supply...


China lithium supply composition (kt LCE)



Source: Goldman Sachs Global Investment Research

Exhibit 20: ...supporting development/implementation of SunResin and other DLE technologies

China lithium supply composition (%)



Source: Goldman Sachs Global Investment Research

Chile's National Lithium Policy

Chile's recently announced National Lithium Policy (NLP) outlines the plans for the future implementation of lithium exploration and exploitation policies that are intended to bring Chile back to the forefront of global lithium production, with the new policy being the result of a consultation process with a wide variety of stakeholders nationally and internationally (including project operators/developers). It has also taken into consideration the objectives of the Chilean State, including its role to participate in the efficient and rapid development of the lithium industry, where the government has outlined Codelco as the vehicle for project partnerships.

As recently commented by Lithium Power International (LPI.AX; Not Covered), in their view the new policy does not constitute a nationalisation of the lithium industry in Chile, rather its objective, as clarified by the Mining Minister, is to set the conditions and parameters for the country to have a more active involvement and higher financial returns in a strategic industry, particularly where those lithium resources are located on concessions already owned by the Chilean State on the Atacama Salar (Chilean output is currently restricted to SQM and Albemarle from Atacama, with their contracts expiring in 2030 and 2043 respectively). Essentially the policy sets to move toward a more public-private model, with the government expecting to start conversations with operators this half and hosting talks with local and Indigenous communities in the Atacama salt flat early on in the process.

The NLP also seeks to accelerate the development of new projects in the country, with a push for new projects to implement DLE for water/environmental concerns (SQM has already committed to cutting its brine extraction in half over the course of a decade via its DLE implementation and expansions), further supporting an accelerating implementation of DLE technologies.

The Well Positioned: Projects/stocks that could benefit from DLE

In the context of DLE, we highlight potential winners below. **We prefer briners over miners in the lithium sector over the medium term, with DLE offering significant potential to increase lithium output on improved recoveries and lift project economics.**

- **Covered companies:** Within our covered lithium companies, we highlight the following opportunities, and reiterate our Buy ratings on Allkem, RIO (on CL), and Qinghai.
 - **Allkem (Buy):** With a number of growth projects that could utilise DLE (not in GSe), Allkem has strong growth optionality, with possible projects including:
 - **Enhanced brine recovery:** Technologies are being reviewed that may see an increase in plant recovery from ~75% to ~95% at both Olaroz Stages 1 and 2 (total recovery ~60% including ponds), without the need for additional ponds or pumping of more brine. Pilot tests are underway and a Feasibility Study is targeted for 1H CY23, with 3 DLE technologies under final consideration by AKE. While we don't include the enhanced brine recovery in our base case (pending results of testing), our analysis suggests that increasing recoveries from 75% to 95% from FY26E at Olaroz would drive a >US\$500mn increase in our Olaroz NAV or ~A\$1.20/sh (on our long run pricing). Possible future expansions at Sal de Vida may also benefit from DLE technologies.
 - **Olaroz Stage 3:** Options are being considered by AKE for a material increase in production capacity and studies are underway into conventional and alternate processing technologies. AKE is currently assessing the potentially substantial increase of production capacity for Stage 3 above the previous studies, with pre-feasibility due in 1H CY23.
 - A dedicated **purification facility** is being considered for construction near Jujuy, Argentina. This would allow Olaroz Stage 1 to be a dedicated technical grade facility with a commensurate 30-40% increase in production, and the purification process would benefit from lower costs and better sustainability performance, with current purification facilities at Olaroz a potential bottleneck per AKE.
 - **Rio (Buy, on CL):** A pilot plant is currently operating at the Rincon site and further work will focus on continuing to optimise their proprietary DLE process and recoveries (though we note RIO's cost estimate and schedule at Rincon are under review on inflation/cost escalation).
 - **SunResin (Neutral):** SunResin is increasingly a supplier of choice for lithium resource owners in China, with its DLE technology being implemented across Qinghai and Tibet projects. SunResin notes that its DLE technology has high recoveries with low costs and expedited processing times, and does not use any solvent and is more eco-friendly for sustainable development, and has executed nine commercial DLE contracts representing a total capacity of

~73ktpa lithium (including delivery of equipment for Angeles Phase 1).

SunResin also has MoUs with Anson Resources (Paradox lithium project in Utah, 91.5% recovery in test work, moving to full scale commercial plant), CleanTech Lithium (Laguna Verde in Chile, looking to build on site pilot plant in 2023), and Power Minerals (was PepinNini Minerals, Salta project in Argentina).

- **Qinghai Salt Lake Industry (Buy):** QHL is the largest potash producer and leading integrated brine-to-lithium carbonate operator in China. The company has exclusive mining rights for the Qarhan salar, with 6.6Mt of lithium reserves as of 2021. Despite QHL's large reserve in the Qarhan salar, the brine is of lower grade versus global peers, yet the company is able to deliver lithium carbonate production at the low end of the global integrated lithium cost curve. Much of this is attributed to their membrane-adsorption technology in lithium extraction, and melting technology on low grade potassium deposits, and through ongoing efforts in process optimization and innovation. We see room for continued improvement, through advanced technologies such as direct lithium extraction (DLE) and solvent extraction, leading to a potentially higher yield and recovery rate in the process. QHL's lithium carbonate production cost now averages ~US\$4,500/t (~Rmb30,500/t) in 2022A, and we see room for a 7% further improvement in the long term, assuming 30% higher yield in the process, and a 20% higher recovery rate.
 - **Projects:** At a project level, we highlight a select number of projects ([Exhibit 3](#)) that are either increasingly well advanced in the DLE space or have outlined implementation targets:
 - **Centenario-Ratones (Eramet):** Eramet's Centenario-Ratones project is the first greenfield, commercial scale DLE (sorbent) project, with Phase 1 already in construction since 1H22 (~24ktpa LCE commissioning targeted 1Q24 and full ramp up mid-2025) following on site pilot testing since 2019, with FID on a Phase 2 targeted by year-end 2023 (additional ~50ktpa LCE), which on the same timeline would then be in production in 2027. Potentially being among the first of successful commercial scale DLE implementation may also allow for future technology licensing revenue streams.
 - **Fenix (Livent):** Livent's Fenix Expansions 1 & 2 are both utilising their DLE technology, while Expansion 3 uses conventional brine ponds to utilise the already existing pond infrastructure from earlier stages to achieve a lower capital intensity on spent capital (rather than implying their DLE technology has been less effective than planned). Expansion 1 at 20ktpa will happen over two phases in 2023 & 2024 for ~US\$450mn, and expansion 2 at 30ktpa is targeted in 2026 for US\$500-700mn; expansion 3 of up to 30ktpa is targeted for in 2029/30 with lower capital intensity on existing infrastructure.
 - **Angeles (PLASA / Tibet Summit Resources):** The Angeles project operated by Potasio y Litio de Argentina (PLASA; parent company Tibet Summit Resources with recent funding partner Honbridge Holdings) will target a Phase 1 production of ~25ktpa LCE, with future expansion to ~50ktpa, with

first production previously targeted for 2023 (prior to contractor changes and new funding partner arrangements in Apr-23). Capex has been quoted as ~US\$700mn combined with ~US\$100mn spend on DLE equipment. SunResin is the DLE provider, with equipment shipped to Argentina in 2022, where recoveries in early work had been reported at >90%. Opex of ~US\$5,000/t is not specified as FOB/pre-royalty, and the company noted it can only be estimated more accurately depending on the process route and related costs.


- **Kachi (Lake Resources):** The Kachi project has completed pilot/demo phases and is looking to release an updated DFS mid-2023 for a ~50ktpa project (Lake's 2021 FS at 25ktpa for US\$544mn). The pilot/demo produced 2.5kt LCE with 80% lithium recovery, 90% plant uptime, 1,000x less land compared with evaporation ponds, and 10x less water compared with conventional aluminum-based absorbents. Rejection of boron, a troublesome impurity for brine projects, is greater than 99.9%.
- **Atacama (ALB/SQM):** As highlighted by our [Chile trip feedback](#), the brine conversion technology is proven and both ALB & SQM well advanced on studies on various Direct Lithium Extraction (DLE) technologies including internal and external flow sheets and have completed pilot plant test work, and permitting for desalinated water and brine re-injection, though may need to overcome a number of technological and regulatory hurdles.
 - ALB is currently constructing a yield improvement plant (Salar improvement project #1; to be completed by mid 2023) at the Salar to wash lithium from the magnesium (Mg) and potassium (K) salt products to improve lithium recovery from ~50% to 65%, and is studying a Salar improvement project #2 to lift recoveries further. In a step toward implementing DLE, Albemarle has agreed to buy freshwater for the Salar de Atacama from a desalination plant near Antofagasta, Chile, with a pipeline being built near Atacama. ALB hasn't disclosed which technology it plans to use but says it is considering both internally and externally developed processes, having piloted one DLE technology in Chile in 2018 and expects to pilot several others in 2023. Albemarle has asked regulators to approve a pilot project starting in early 2023 that will study the best way to reinject brine into the ground (leveraging their experience in reinjecting brines at their bromine project in Arkansas, though with clearly different hydrogeology).
 - In 2020, SQM committed to cutting its brine extraction in half over the course of a decade. SQM announced in Sep-22 that it plans to spend ~US\$1.5bn on desalinated seawater, DLE, and other technologies to reduce water usage and improve lithium production in Chile. SQM is still evaluating DLE technologies (having already piloted four approaches), and is pursuing the multistep route rather than a straight DLE process in part because it wants to produce potassium chemicals, with the current proposed implementation first pumping brine into evaporation ponds and precipitating sodium chloride. Then a mechanical

evaporator would remove water and the fertilizer potassium chloride, yielding a concentrated lithium brine. The DLE plant would use water from the mechanical evaporator to strip lithium from the concentrated brine, and the spent brine would be reinjected. SQM doesn't expect to submit an environmental assessment of its project to Chilean regulators until the second half of 2024.

- **Other early stage LatAm brine projects** that are either in ramp up or with growing resources bases (i.e. Salar de Rincon (Argosy), Hombre Muerto West (Galan), etc) may also stand to benefit from the possible implementation of a successful technology, with enough third party providers emerging to avoid the need for lengthy development processes with quicker implementation.
- **DLE projects in China:** A [number of China projects](#) already utilise DLE in some form (where SunResin technology is being implemented across Qinghai and Tibet projects).
- **Geothermal projects in Europe and North America** are also looking to implement DLE (Upper Rhine Valley (Vulcan Energy), Clearwater (E3 Metals), Salton Sea (various), amongst others), though with generally lower lithium concentrations and the possibility of geothermal power offering different project economics to those described above.
- **Technology developers:** Third party technology providers that are increasingly advanced and moving to demo and potentially commercial scale projects over the coming years (particularly those that have successfully tested multiple brine sources) will likely also be well positioned (including Summit Nanotech, Lilac, IBAT, SunResin, and others ([Exhibit 3](#))) potentially unlocking future technology licensing revenue streams, or the ability to acquire and develop their own resource. The environmental push to reinject brine and use DLE may also create a push for more advanced geophysical models, which could also support the work pipeline of services companies.

LatAm lithium resources


Exhibit 21: LatAm lithium projects



Source: Company data, Goldman Sachs Global Investment Research

Exhibit 22: LatAm lithium brine resources

Lithium concentration (mg/L) vs. contained LCE (kt); bubble size of contained lithium resource




Source: Company data, Data compiled by Goldman Sachs Global Investment Research

As impurity ratios will impact the ultimate recovery of projects, including in DLE implementation, we outline the impurity ratios of key projects vs. lithium concentration and resource size in the chart below, where typically in a traditional brine pond high impurities are more expensive to process.

Exhibit 23: LatAm lithium brine impurity ratios

Magnesium ratio (Mg/Li) vs. SO4 ratio (SO4/Li); bubble size of contained lithium resource



Missing pieces of impurity data have been approximated where possible on neighbouring projects sharing a salar

Source: Company data, Data compiled by Goldman Sachs Global Investment Research

The Technology: DLE vs. traditional brine evaporation


Traditional brine pond lithium extraction

With the lithium brine pumped to surface, it is distributed to evaporation ponds where the brine remains for 9 to 12-18 months (depending on the project/weather conditions) until most of the liquid water content has been removed through solar evaporation. Salar brines are very concentrated and contain a range of other salts. Facilities usually operate several large evaporation ponds of various ages and may extract other metals (e.g. potassium) from younger ponds while waiting for the lithium content to reach a concentration optimal for further processing. In some cases, reverse osmosis is used to concentrate the lithium brine to speed up the evaporation process. Once the brine in an evaporation pond has reached an ideal lithium concentration, the brine is pumped to a lithium recovery facility for extraction using a series of treatments and processing.

Pros: (i) Conventional/established technology potentially offers lower risk deployment, (ii) Lower energy consumption (free solar evaporation can raise lithium concentration in brine from ~0.2% to ~6%), (iii) smaller variety of chemicals used in reagents.

Cons: (i) Environmental concerns (diversion of sometimes limited water can impact on the surrounding area and communities, waste build up from impurities at each pond/plant stage can't be reinjected), (ii) Slow time to market (likely longer build time and lengthy evaporation process), (iii) Only relevant in certain regions of the world, where deposits and right weather conditions exist, (iv) As lithium has a very low concentration in brine, a larger volume is often required to achieve high production values.


Exhibit 24: Traditional brine pond flowsheet



Indicative pond process flowsheet based on Sal de Vida flowsheet

Source: Company data, Goldman Sachs Global Investment Research

Exhibit 25: Traditional process of Brine Extraction vs. DLE, and timing of each stage



Indicative timings; pond based on Olaroz flowsheet

Source: Company data, Goldman Sachs Global Investment Research

Direct Lithium Extraction (DLE) technologies

DLE technologies precipitate lithium out of brine using filters, membranes, ceramic beads, or other equipment, which is often housed in a small warehouse, significantly shrinking the environmental footprint of evaporation ponds used to produce commercial quantities of lithium traditionally. In a DLE operation, brine is pumped to a processing unit where an adsorption, resin or membrane material is used to extract only the lithium from the brine, while spent brine can be reinjected into the basin aquifers. The more rapid production time frame and possible brine reinjection into the aquifer is a key environmental differentiator between the DLE process and traditional lithium process that uses evaporation ponds.

Though the application of technologies used in emerging DLE processes may be fairly new to the lithium industry, adsorption (AD), ion exchange (IX), and solvent extraction (SX) technologies are already utilised across other commodities at commercial scale (and we note IX is already utilised in some conventional lithium brine processing to manage impurities). Other DLE technologies in early stage development, including membranes and precipitants, may also offer potential DLE solutions.

While the impact of DLE on market dynamics will be linked to the pace and scale at which it is adopted, as we highlight ([Exhibit 3](#)), there are a significant number of resources business and technology providers that have been incentivised to find technological improvements to lithium resource extraction as a result of record lithium prices that are well above the marginal cost of existing and proposed lithium supply (and thus more than offset the upfront R&D costs). Policy changes, such as Chile's recent NLP, may further support an accelerating implementation of DLE technologies.


While each salar/brine resource is different (varying concentrations of lithium and other elements/impurity ratios), and variations between salars mean there is unlikely a one size fits all solution, we would expect a degree of transferability of successful DLE technologies between resources (though likely requiring optimisation/subject to impurity ratios), with differing applications and end products (lithium carbonate or chloride) depending on the project/available finishing capacity/end market optimisation.

DLE offers a potential game changing technology for lithium supply, and while there may still be key challenges around scalability and water consumption (though modular designs and water recycling may assist with these issues, though could require energy intensive mechanical evaporation), and brine reinjection may be slightly dilutive to the resource (though proponents don't expect material impacts over proposed project lives), with the ongoing efforts, DLE could be implemented between 2025-2030 in both Chile and Argentina, in our view. DLE projects could also be implemented both as greenfield projects and brownfield expansions, or to enhance recoveries of existing pond operations. This compares with [market skepticism](#) around commercial development of DLE technology by the end of the decade.

Exhibit 26: Technical details of the 3 different types of DLE processes


Adsorption

LiCl molecule in brine physically adsorbed onto sorbent and removed with a strip solution




Ion Exchange

Li+ ion in brine chemically absorbed into solid ion exchange material and swapped for other positive ion




Solvent Extraction

Liquid phase with adsorptive or ion exchange -type properties removes LiCl or Li+ brine.



Source: Data compiled by Goldman Sachs Global Investment Research

Exhibit 27: Example of DLE flow sheet



Process shown for sorption

Source: Compiled by Goldman Sachs Global Investment Research

Adsorption

Adsorption is increasingly the most developed DLE technology globally, with the majority of DLE projects utilising it to some degree ([Exhibit 3](#)).

Adsorption-separation resins are typically synthetic round-shaped beads with designed physical characteristics (i.e. pore size/structure, surface area, porosity) and chemical structure (e.g. functional groups) to capture desired / remove undesired molecules in **aqueous** solutions to enable **purification, extraction, separation, concentration and decolorization**. The material is already experiencing widespread adoption across a broad range of industries, including water management, pharmaceuticals, food processing and hydrometallurgy.

In adsorption's use in DLE, lithium chloride (LiCl) molecules from the brine infiltrate within the atomic layers of an adsorbent. Once LiCl fills the interstitial layers of the adsorbent, it is removed with a strip solution, typically warm-hot water. After the sorbent is loaded with the LiCl, it's washed with a diluted lithium chloride stream to remove unwanted ions, and then washed a second time to unload the lithium chloride. Some sorbents developed can recover >90% of the lithium present, with this method not requiring an acid wash or other chemicals, adding to its environmental credentials.

Other variations may include a recently tested lithium aluminum layered double hydroxide chloride sorbent (LDH), which is still being tested (though researchers consider them promising).


Pros: (i) Does not require reagents like ion exchange or solvent extraction, instead water is used to recover the lithium chloride, with soda ash to convert to carbonate (which is more readily available and easier to get to site vs. some acids for IX), (ii) Less impacted by brine composition, or by weather conditions, with lower waste generation, (iii) potentially >90% lithium extraction efficiency, (iv) Typically produces high quality lithium chloride/carbonate, and can be suitable for low lithium concentration brines.

Cons: (i) Usually requires temperatures >40 C, (ii) Lower eluate LiCl concentration than IX, and may require further steps to purify product and recycle water, (iii) Some implementation may find it difficult to prevent contamination with the brine, compromised by lower lithium uptake and carry-over of more impurities into the product, (iv) The adsorption equipment can be expensive (potentially high upfront costs) and complicated, with the cost of the adsorbent potentially higher if increasingly tailored.

Exhibit 28: Livent's DLE implementation at Fenix supports both enhanced recoveries of ponds and DLE-based expansions

Project Fenix facility first expansion process flow diagram

Fenix

**EXPANSION I**

Expansion 1 of 3 shown

Source: Company reports

Ion Exchange (IX)

Ion exchange systems separate ionic contaminants from solution through a physico-chemical process where undesirable ions are replaced by other ions of the same electrical charge. Essentially, the ion-exchange material acts as a sieve with an adjusted porosity that only allows lithium (and hydrogen) ions to pass through, where the ion-sieve can then be washed with an acidic solution promoting the replacement of lithium ions with hydrogen ions. Lithium recovery by ion exchange can change with a simple adjustment in pH, temperature, or stream composition (though the same goes for other lithium extraction methods), but researchers also believe this method can recover ~90% of the lithium present.

Pros: (i) Simple process, (ii) High selectivity for lithium and reduced risk of impurity contamination in the product stream, (iii) High capacity and therefore high concentration of Li in the strip solution, and can be suitable for low lithium concentration brines, (iv) Low energy/water consumption and unaffected by weather conditions, (v) continuous operation potential.

Cons: (i) Potentially high upfront costs, and may require further steps to purify product, (ii) High opex resulting from large amounts of base and acid inputs, and risk around acid supply to site, (iii) Some IX material have the potential to degrade in acidic conditions.

Solvent Extraction (SX)

Solvent-extraction uses an organic solution (containing solvent and extractant) to extract lithium from brines either chemically or physically and transforming it into LiCl (or ions). The organic solution typically comprises of kerosene (or similar material) and an extractant, which show very high selectivity toward lithium over sodium and magnesium ions under optimized conditions. Solvent extraction can theoretically achieve any concentration factor up to the saturation limit, where there is also the potential to use solvent extraction as a post-DLE step to polish the product stream and produce concentrated lithium solutions with high battery-quality purity. The process is also versatile and can potentially be adapted to produce high-purity lithium hydroxide, rather than lithium carbonate through precipitation with soda ash, with the technological process also being explored in battery recycling.

Pros: (i) High concentration of lithium can be produced from the brine with a high recovery rate, and is also unaffected by weather conditions, (ii) Low opex costs, (iii) Lithium solvent extraction is essentially a stand-alone process, whereas the other two DLE processes typically require an additional concentration step, either through smaller solar evaporation ponds, forced (artificial) evaporation, before the purified solution can be converted to the final product.

Cons: (i) Potentially less applicable with higher impurity ratios (lower concentrations of Ca and Mg usually required which may require pre-treatment of brine), (ii) Organic solvents are environmentally challenging, and are potentially more difficult to get to site, (iii) Fire risk with high temperature brines, (iv) Expensive relative to other technologies, potentially larger capex for the first fill and can cause costly equipment corrosion, (v) The residual brine that remains after lithium extraction may require post-treatment to remove the leached solvent before it can safely be sent for disposal.

Exhibit 29: Variations between salars mean there is unlikely a one size fits all solution (though solutions may still offer some transferability)

Comparison of different lithium brine extraction methods

| Method | Precipitation/Evaporation | Solvent extraction | Adsorption | Ion-exchange | Membrane separation |
|-------------------------------|--|---|---|---|--|
| How does it work | The salt-rich water from the underground brine deposit is pumped to the surface and direct into evaporation ponds. The precipitation process takes months/years to remove the water content through evaporation, yielding a high lithium concentration | The lithium is selectively extracted from brine into the organic phase of the solvent during the extraction process | The lithium chloride in brine is selectively captured by sorbent | The lithium ion in brine water is selectively captured by ion-exchange sorbents and replace with like-charged ions | Use lithium-selective membrane to separate Li/Mg ions, induced by external driving forces such as pressure (nanofiltration), electric field (selective electro dialysis) or thermal gradient |
| Schematic illustration | | | | | |
| Advantages | Simple process Low operating cost | Efficient Low operating cost Non-weather dependent High recovery rate | Simple process Efficient Unaffected by weather conditions Suitable for low lithium concentration High recovery rate | Simple process Efficient Unaffected by weather conditions Suitable for low lithium concentration High recovery rate | Efficient Environmental friendly |
| Disadvantages | Time consuming Weather-dependent Requires additional processing steps Environmental impact | Corrosion to equipment Environmental impact | High upfront cost Requires additional processing steps | High upfront cost Requires additional processing steps | Limit to brine with low Na/K content Water-intensive process High upfront and operating cost |

Source: Company data, Goldman Sachs Global Investment Research

Commodity and FX forecasts

We factor in the GS commodity team's lithium prices, reflecting weak 2023 pricing driven mostly by ongoing supply chain destocking, and further downside in spot prices with flattened yet no correction on downstream inventories. Our 2024/25 price forecasts reflect our view our growing supply supporting the lithium market moving into surplus.

Exhibit 30: GS Metals and Mining commodity and FX forecasts

| Calendar year | Unit | Spot | 2021 | Q1'22 | Q2'22 | Q3'22 | Q4'22 | 2022 | Q1'23 | Q2'23 | Q3'23 | Q4'23 | 2023 | 2024 | 2025 | 2026 | LT (real) | LT (nom) |
|--------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-----------|----------|
| Battery Materials | | | | | | | | | | | | | | | | | | |
| Lithium carbonate | US\$/t | 55,750 | 14,303 | 49,640 | 55,500 | 65,040 | 69,290 | 59,868 | 62,710 | 22,124 | 24,727 | 20,822 | 32,596 | 11,000 | 11,000 | 16,883 | 15,000 | 17,389 |
| Lithium hydroxide | US\$/t | 62,250 | 16,823 | 51,950 | 68,200 | 71,940 | 78,180 | 67,568 | 72,010 | 26,679 | 27,330 | 22,775 | 37,199 | 12,500 | 12,500 | 18,571 | 16,500 | 19,128 |
| Spodumene 6% | US\$/t | 4,190 | 967 | 2,716 | 3,877 | 4,885 | 5,994 | 4,368 | 5,600 | 3,250 | 2,750 | 2,000 | 3,400 | 800 | 800 | 1,126 | 1,000 | 1,159 |
| Currencies | | | | | | | | | | | | | | | | | | |
| AUD:USD | | 0.67 | 0.75 | 0.72 | 0.71 | 0.68 | 0.66 | 0.69 | 0.68 | 0.67 | 0.67 | 0.68 | 0.68 | 0.69 | 0.70 | 0.70 | 0.70 | 0.70 |
| CAD:USD | | 0.74 | 0.80 | 0.79 | 0.78 | 0.77 | 0.74 | 0.77 | 0.74 | 0.74 | 0.74 | 0.74 | 0.74 | 0.74 | 0.74 | 0.74 | 0.74 | 0.74 |
| USD:ARS | | 219 | 95 | 107 | 118 | 136 | 163 | 131 | 192 | 263 | 335 | 419 | 302 | 481 | 400 | 300 | 300 | 300 |

Forecast lithium prices for China. Prices above are captured in covered company models and may not reflect latest commodity team updates.

Source: Platts, Bloomberg, Goldman Sachs Global Investment Research

Valuation methodology & Investment risks

Exhibit 31: Valuation methodology and investment risks

| | Rating | Valuation Methodology Component and % Weighting | Upside and Downside Investment Risks |
|----------|---------|---|---|
| AKE | Buy | 50% 9x EV multiple on NTM EBITDA | ↓ Lower lithium prices, raw material supply constraints |
| | | 50% NPV with WACC of 10.2% | ↓ Stronger FX (ARS, AUD, CAD), higher operating costs/capex, Argentinian inflation, production output issues |
| RIO | Buy* | 50% 5.5x EV multiple on NTM EBITDA | ↓ Stronger AUD, iron ore price weakness, WA Heritage Act revision and possible impact to Pilbara operations |
| | | 50% NPV with WACC of 9.2% | ↓ Further delays to growth (Oyu Tolgoi, Jadar, Pilbara), higher capex and opex due to industry cost inflation. |
| SunResin | Neutral | 100% 24x EV multiple on 2025E EBITDA, discount to 2023E @ 9.3% WACC | - Slower/faster than expected capacity expansion, Evolvement of new technologies for lithium brine extraction - Delay or cancellation of lithium brine extraction orders, plant/process safety |
| QHL | Buy | 100% SOTP multiple on potash/lithium, LCE reserves at LT pricing | ↓ Lithium prices and S/D, execution risk on its lithium expansion ↓ Potash prices and S/D, opex/capex |

Note: *on the ANZ Conviction List; AKE.AX covered by Hugo Nicolaci; RIO.AX covered by Paul Young; SunResin covered by Yan Lin; Qinghai Salt Lake Industry covered by Trina Chen

Source: Goldman Sachs Global Investment Research

The authors would like to thank Nizar Mesani for his contribution to this report.

The research views in this report are those of the analyst who covers the relevant area:

- Equity research views are expressed by Hugo Nicolaci, Paul Young and Elise Bailey, Equity Research Analysts covering Australia Resources; Trina Chen, Joy Zhang and Roy Shi, Equity Research Analysts covering China Commodities & Steel; Yan Lin and Nick Zheng, Equity Research Analysts covering China Machinery.
- Commodities research views are expressed by Nicholas Snowdon and Aditi Rai, Commodities Research Analysts.

Disclosure Appendix

Reg AC

We, Hugo Nicolaci, Paul Young, Trina Chen, Joy Zhang, Yan Lin, Elise Bailey, Roy Shi and Nick Zheng, CFA, hereby certify that all of the views expressed in this report accurately reflect our personal views about the subject company or companies and its or their securities. We also certify that no part of our compensation was, is or will be, directly or indirectly, related to the specific recommendations or views expressed in this report.

We, Nicholas Snowdon and Aditi Rai, hereby certify that all of the views expressed in this report accurately reflect our personal views, which have not been influenced by considerations of the firm's business or client relationships.

Unless otherwise stated, the individuals listed on the cover page of this report are analysts in Goldman Sachs' Global Investment Research division.

GS Factor Profile

The Goldman Sachs Factor Profile provides investment context for a stock by comparing key attributes to the market (i.e. our coverage universe) and its sector peers. The four key attributes depicted are: Growth, Financial Returns, Multiple (e.g. valuation) and Integrated (a composite of Growth, Financial Returns and Multiple). Growth, Financial Returns and Multiple are calculated by using normalized ranks for specific metrics for each stock. The normalized ranks for the metrics are then averaged and converted into percentiles for the relevant attribute. The precise calculation of each metric may vary depending on the fiscal year, industry and region, but the standard approach is as follows:

Growth is based on a stock's forward-looking sales growth, EBITDA growth and EPS growth (for financial stocks, only EPS and sales growth), with a higher percentile indicating a higher growth company. **Financial Returns** is based on a stock's forward-looking ROE, ROCE and CROCI (for financial stocks, only ROE), with a higher percentile indicating a company with higher financial returns. **Multiple** is based on a stock's forward-looking P/E, P/B, price/dividend (P/D), EV/EBITDA, EV/FCF and EV/Debt Adjusted Cash Flow (DACF) (for financial stocks, only P/E, P/B and P/D), with a higher percentile indicating a stock trading at a higher multiple. The **Integrated** percentile is calculated as the average of the Growth percentile, Financial Returns percentile and (100% - Multiple percentile).

Financial Returns and Multiple use the Goldman Sachs analyst forecasts at the fiscal year-end at least three quarters in the future. Growth uses inputs for the fiscal year at least seven quarters in the future compared with the year at least three quarters in the future (on a per-share basis for all metrics).

For a more detailed description of how we calculate the GS Factor Profile, please contact your GS representative.

M&A Rank

Across our global coverage, we examine stocks using an M&A framework, considering both qualitative factors and quantitative factors (which may vary across sectors and regions) to incorporate the potential that certain companies could be acquired. We then assign a M&A rank as a means of scoring companies under our rated coverage from 1 to 3, with 1 representing high (30%-50%) probability of the company becoming an acquisition target, 2 representing medium (15%-30%) probability and 3 representing low (0%-15%) probability. For companies ranked 1 or 2, in line with our standard departmental guidelines we incorporate an M&A component into our target price. M&A rank of 3 is considered immaterial and therefore does not factor into our price target, and may or may not be discussed in research.

Quantum

Quantum is Goldman Sachs' proprietary database providing access to detailed financial statement histories, forecasts and ratios. It can be used for in-depth analysis of a single company, or to make comparisons between companies in different sectors and markets.

Disclosures

Rating and pricing information

Allkem Ltd. (Buy, A\$11.33), Rio Tinto Ltd. (Buy, A\$11.94), SunResin (Neutral, RMB89.00), and Qinghai Salt Lake Industry (Buy, RMB20.67).

Distribution of ratings/investment banking relationships

Goldman Sachs Investment Research global Equity coverage universe

| | Rating Distribution | | | Investment Banking Relationships | | |
|--------|---------------------|------|------|----------------------------------|------|------|
| | Buy | Hold | Sell | Buy | Hold | Sell |
| Global | 48% | 36% | 16% | 63% | 56% | 47% |

As of April 1, 2023, Goldman Sachs Global Investment Research had investment ratings on 3,026 equity securities. Goldman Sachs assigns stocks as Buys and Sells on various regional Investment Lists; stocks not so assigned are deemed Neutral. Such assignments equate to Buy, Hold and Sell for the purposes of the above disclosure required by the FINRA Rules. See 'Ratings, Coverage universe and related definitions' below. The Investment Banking Relationships chart reflects the percentage of subject companies within each rating category for whom Goldman Sachs has provided investment banking services within the previous twelve months.

Regulatory disclosures

Disclosures required by United States laws and regulations

See company-specific regulatory disclosures above for any of the following disclosures required as to companies referred to in this report: manager or co-manager in a pending transaction; 1% or other ownership; compensation for certain services; types of client relationships; managed/co-managed public offerings in prior periods; directorships; for equity securities, market making and/or specialist role. Goldman Sachs trades or may trade as a principal in debt securities (or in related derivatives) of issuers discussed in this report.

The following are additional required disclosures: **Ownership and material conflicts of interest:** Goldman Sachs policy prohibits its analysts, professionals reporting to analysts and members of their households from owning securities of any company in the analyst's area of coverage. **Analyst compensation:** Analysts are paid in part based on the profitability of Goldman Sachs, which includes investment banking revenues. **Analyst as officer or director:** Goldman Sachs policy generally prohibits its analysts, persons reporting to analysts or members of their households from serving as an officer, director or advisor of any company in the analyst's area of coverage. **Non-U.S. Analysts:** Non-U.S. analysts may not be associated persons of Goldman Sachs & Co. LLC and therefore may not be subject to FINRA Rule 2241 or FINRA Rule 2242 restrictions on

communications with subject company, public appearances and trading securities held by the analysts.

Distribution of ratings: See the distribution of ratings disclosure above. **Price chart:** See the price chart, with changes of ratings and price targets in prior periods, above, or, if electronic format or if with respect to multiple companies which are the subject of this report, on the Goldman Sachs website at <https://www.gs.com/research/hedge.html>.

Additional disclosures required under the laws and regulations of jurisdictions other than the United States

The following disclosures are those required by the jurisdiction indicated, except to the extent already made above pursuant to United States laws and regulations. **Australia:** Goldman Sachs Australia Pty Ltd and its affiliates are not authorised deposit-taking institutions (as that term is defined in the Banking Act 1959 (Cth)) in Australia and do not provide banking services, nor carry on a banking business, in Australia. This research, and any access to it, is intended only for "wholesale clients" within the meaning of the Australian Corporations Act, unless otherwise agreed by Goldman Sachs. In producing research reports, members of Global Investment Research of Goldman Sachs Australia may attend site visits and other meetings hosted by the companies and other entities which are the subject of its research reports. In some instances the costs of such site visits or meetings may be met in part or in whole by the issuers concerned if Goldman Sachs Australia considers it is appropriate and reasonable in the specific circumstances relating to the site visit or meeting. To the extent that the contents of this document contains any financial product advice, it is general advice only and has been prepared by Goldman Sachs without taking into account a client's objectives, financial situation or needs. A client should, before acting on any such advice, consider the appropriateness of the advice having regard to the client's own objectives, financial situation and needs. A copy of certain Goldman Sachs Australia and New Zealand disclosure of interests and a copy of Goldman Sachs' Australian Sell-Side Research Independence Policy Statement are available at: <https://www.goldmansachs.com/disclosures/australia-new-zealand/index.html>. **Brazil:** Disclosure information in relation to CVM Resolution n. 20 is available at <https://www.gs.com/worldwide/brazil/area/gir/index.html>. Where applicable, the Brazil-registered analyst primarily responsible for the content of this research report, as defined in Article 20 of CVM Resolution n. 20, is the first author named at the beginning of this report, unless indicated otherwise at the end of the text. **Canada:** This information is being provided to you for information purposes only and is not, and under no circumstances should be construed as, an advertisement, offering or solicitation by Goldman Sachs & Co. LLC for purchasers of securities in Canada to trade in any Canadian security. Goldman Sachs & Co. LLC is not registered as a dealer in any jurisdiction in Canada under applicable Canadian securities laws and generally is not permitted to trade in Canadian securities and may be prohibited from selling certain securities and products in certain jurisdictions in Canada. If you wish to trade in any Canadian securities or other products in Canada please contact Goldman Sachs Canada Inc., an affiliate of The Goldman Sachs Group Inc., or another registered Canadian dealer. **Hong Kong:** Further information on the securities of covered companies referred to in this research may be obtained on request from Goldman Sachs (Asia) L.L.C. **India:** Further information on the subject company or companies referred to in this research may be obtained from Goldman Sachs (India) Securities Private Limited, Research Analyst - SEBI Registration Number INH000001493, 951-A, Rational House, Appasaheb Marathe Marg, Prabhadevi, Mumbai 400 025, India, Corporate Identity Number U71410MH2006FTC160634, Phone +91 22 6616 9000, Fax +91 22 6616 9001. Goldman Sachs may beneficially own 1% or more of the securities (as such term is defined in clause 2 (h) the Indian Securities Contracts (Regulation) Act, 1956) of the subject company or companies referred to in this research report. **Japan:** See below. **Korea:** This research, and any access to it, is intended only for "professional investors" within the meaning of the Financial Services and Capital Markets Act, unless otherwise agreed by Goldman Sachs. Further information on the subject company or companies referred to in this research may be obtained from Goldman Sachs (Asia) L.L.C., Seoul Branch. **New Zealand:** Goldman Sachs New Zealand Limited and its affiliates are neither "registered banks" nor "deposit takers" (as defined in the Reserve Bank of New Zealand Act 1989) in New Zealand. This research, and any access to it, is intended for "wholesale clients" (as defined in the Financial Advisers Act 2008) unless otherwise agreed by Goldman Sachs. A copy of certain Goldman Sachs Australia and New Zealand disclosure of interests is available at: <https://www.goldmansachs.com/disclosures/australia-new-zealand/index.html>. **Russia:** Research reports distributed in the Russian Federation are not advertising as defined in the Russian legislation, but are information and analysis not having product promotion as their main purpose and do not provide appraisal within the meaning of the Russian legislation on appraisal activity. Research reports do not constitute a personalized investment recommendation as defined in Russian laws and regulations, are not addressed to a specific client, and are prepared without analyzing the financial circumstances, investment profiles or risk profiles of clients. Goldman Sachs assumes no responsibility for any investment decisions that may be taken by a client or any other person based on this research report. **Singapore:** Goldman Sachs (Singapore) Pte. (Company Number: 198602165W), which is regulated by the Monetary Authority of Singapore, accepts legal responsibility for this research, and should be contacted with respect to any matters arising from, or in connection with, this research. **Taiwan:** This material is for reference only and must not be reprinted without permission. Investors should carefully consider their own investment risk. Investment results are the responsibility of the individual investor. **United Kingdom:** Persons who would be categorized as retail clients in the United Kingdom, as such term is defined in the rules of the Financial Conduct Authority, should read this research in conjunction with prior Goldman Sachs research on the covered companies referred to herein and should refer to the risk warnings that have been sent to them by Goldman Sachs International. A copy of these risks warnings, and a glossary of certain financial terms used in this report, are available from Goldman Sachs International on request.

European Union and United Kingdom: Disclosure information in relation to Article 6 (2) of the European Commission Delegated Regulation (EU) (2016/958) supplementing Regulation (EU) No 596/2014 of the European Parliament and of the Council (including as that Delegated Regulation is implemented into United Kingdom domestic law and regulation following the United Kingdom's departure from the European Union and the European Economic Area) with regard to regulatory technical standards for the technical arrangements for objective presentation of investment recommendations or other information recommending or suggesting an investment strategy and for disclosure of particular interests or indications of conflicts of interest is available at <https://www.gs.com/disclosures/europeanpolicy.html> which states the European Policy for Managing Conflicts of Interest in Connection with Investment Research.

Japan: Goldman Sachs Japan Co., Ltd. is a Financial Instrument Dealer registered with the Kanto Financial Bureau under registration number Kinsho 69, and a member of Japan Securities Dealers Association, Financial Futures Association of Japan Type II Financial Instruments Firms Association, The Investment Trusts Association, Japan, and Japan Investment Advisers Association. Sales and purchase of equities are subject to commission pre-determined with clients plus consumption tax. See company-specific disclosures as to any applicable disclosures required by Japanese stock exchanges, the Japanese Securities Dealers Association or the Japanese Securities Finance Company.

Ratings, coverage universe and related definitions

Buy (B), Neutral (N), Sell (S) Analysts recommend stocks as Buys or Sells for inclusion on various regional Investment Lists. Being assigned a Buy or Sell on an Investment List is determined by a stock's total return potential relative to its coverage universe. Any stock not assigned as a Buy or a Sell on an Investment List with an active rating (i.e., a stock that is not Rating Suspended, Not Rated, Coverage Suspended or Not Covered), is deemed Neutral. Each region manages Regional Conviction lists, which are selected from Buy rated stocks on the respective region's Investment lists and represent investment recommendations focused on the size of the total return potential and/or the likelihood of the realization of the return across their respective areas of coverage. The addition or removal of stocks from such Conviction lists are managed by the Investment Review Committee or other designated committee in each respective region and do not represent a change in the analysts' investment rating for such stocks.

Total return potential represents the upside or downside differential between the current share price and the price target, including all paid or anticipated dividends, expected during the time horizon associated with the price target. Price targets are required for all covered stocks. The total return potential, price target and associated time horizon are stated in each report adding or reiterating an Investment List membership.

Coverage Universe: A list of all stocks in each coverage universe is available by primary analyst, stock and coverage universe at <https://www.gs.com/research/hedge.html>.

Not Rated (NR). The investment rating, target price and earnings estimates (where relevant) have been suspended pursuant to Goldman Sachs policy when Goldman Sachs is acting in an advisory capacity in a merger or in a strategic transaction involving this company, when there are legal, regulatory or policy constraints due to Goldman Sachs' involvement in a transaction, and in certain other circumstances. **Rating Suspended (RS).** Goldman Sachs Research has suspended the investment rating and price target for this stock, because there is not a sufficient fundamental basis for determining an investment rating or target price. The previous investment rating and target price, if any, are no longer in effect for this stock and should not be relied upon. **Coverage Suspended (CS).** Goldman Sachs has suspended coverage of this company. **Not Covered (NC).** Goldman Sachs does not cover this company. **Not Available or Not Applicable (NA).** The information is not available for display or is not applicable. **Not Meaningful (NM).** The information is not meaningful and is therefore excluded.

Global product; distributing entities

Goldman Sachs Global Investment Research produces and distributes research products for clients of Goldman Sachs on a global basis. Analysts based in Goldman Sachs offices around the world produce research on industries and companies, and research on macroeconomics, currencies, commodities and portfolio strategy. This research is disseminated in Australia by Goldman Sachs Australia Pty Ltd (ABN 21 006 797 897); in Brazil by Goldman Sachs do Brasil Corretora de Títulos e Valores Mobiliários S.A.; Public Communication Channel Goldman Sachs Brazil: 0800 727 5764 and / or contatogoldmanbrasil@gs.com. Available Weekdays (except holidays), from 9am to 6pm. Canal de Comunicação com o Público Goldman Sachs Brasil: 0800 727 5764 e/ou contatogoldmanbrasil@gs.com. Horário de funcionamento: segunda-feira à sexta-feira (exceto feriados), das 9h às 18h; in Canada by Goldman Sachs & Co. LLC; in Hong Kong by Goldman Sachs (Asia) L.L.C.; in India by Goldman Sachs (India) Securities Private Ltd.; in Japan by Goldman Sachs Japan Co., Ltd.; in the Republic of Korea by Goldman Sachs (Asia) L.L.C., Seoul Branch; in New Zealand by Goldman Sachs New Zealand Limited; in Russia by OOO Goldman Sachs; in Singapore by Goldman Sachs (Singapore) Pte. (Company Number: 198602165W); and in the United States of America by Goldman Sachs & Co. LLC. Goldman Sachs International has approved this research in connection with its distribution in the United Kingdom.

Goldman Sachs International ("GSI"), authorised by the Prudential Regulation Authority ("PRA") and regulated by the Financial Conduct Authority ("FCA") and the PRA, has approved this research in connection with its distribution in the United Kingdom.

European Economic Area: GSI, authorised by the PRA and regulated by the FCA and the PRA, disseminates research in the following jurisdictions within the European Economic Area: the Grand Duchy of Luxembourg, Italy, the Kingdom of Belgium, the Kingdom of Denmark, the Kingdom of Norway, the Republic of Finland and the Republic of Ireland; GSI - Succursale de Paris (Paris branch) which is authorised by the French Autorité de contrôle prudentiel et de résolution ("ACPR") and regulated by the Autorité de contrôle prudentiel et de résolution and the Autorité des marchés financiers ("AMF") disseminates research in France; GSI - Sucursal en España (Madrid branch) authorized in Spain by the Comisión Nacional del Mercado de Valores disseminates research in the Kingdom of Spain; GSI - Sweden Bankfilial (Stockholm branch) is authorized by the SFSA as a "third country branch" in accordance with Chapter 4, Section 4 of the Swedish Securities and Market Act (Sw. lag (2007:528) om värdepappersmarknaden) disseminates research in the Kingdom of Sweden; Goldman Sachs Bank Europe SE ("GSBE") is a credit institution incorporated in Germany and, within the Single Supervisory Mechanism, subject to direct prudential supervision by the European Central Bank and in other respects supervised by German Federal Financial Supervisory Authority (Bundesanstalt für Finanzdienstleistungsaufsicht, BaFin) and Deutsche Bundesbank and disseminates research in the Federal Republic of Germany and those jurisdictions within the European Economic Area where GSI is not authorised to disseminate research and additionally, GSBE, Copenhagen Branch filial af GSBE, Tyskland, supervised by the Danish Financial Authority disseminates research in the Kingdom of Denmark; GSBE - Sucursal en España (Madrid branch) subject (to a limited extent) to local supervision by the Bank of Spain disseminates research in the Kingdom of Spain; GSBE - Succursale Italia (Milan branch) to the relevant applicable extent, subject to local supervision by the Bank of Italy (Banca d'Italia) and the Italian Companies and Exchange Commission (Commissione Nazionale per le Società e la Borsa "Consob") disseminates research in Italy; GSBE - Succursale de Paris (Paris branch), supervised by the AMF and by the ACPR disseminates research in France; and GSBE - Sweden Bankfilial (Stockholm branch), to a limited extent, subject to local supervision by the Swedish Financial Supervisory Authority (Finansinspektionen) disseminates research in the Kingdom of Sweden.

General disclosures

This research is for our clients only. Other than disclosures relating to Goldman Sachs, this research is based on current public information that we consider reliable, but we do not represent it is accurate or complete, and it should not be relied on as such. The information, opinions, estimates and forecasts contained herein are as of the date hereof and are subject to change without prior notification. We seek to update our research as appropriate, but various regulations may prevent us from doing so. Other than certain industry reports published on a periodic basis, the large majority of reports are published at irregular intervals as appropriate in the analyst's judgment.

Goldman Sachs conducts a global full-service, integrated investment banking, investment management, and brokerage business. We have investment banking and other business relationships with a substantial percentage of the companies covered by Global Investment Research. Goldman Sachs & Co. LLC, the United States broker dealer, is a member of SIPC (<https://www.sipc.org>).

Our salespeople, traders, and other professionals may provide oral or written market commentary or trading strategies to our clients and principal trading desks that reflect opinions that are contrary to the opinions expressed in this research. Our asset management area, principal trading desks and investing businesses may make investment decisions that are inconsistent with the recommendations or views expressed in this research.

The analysts named in this report may have from time to time discussed with our clients, including Goldman Sachs salespersons and traders, or may discuss in this report, trading strategies that reference catalysts or events that may have a near-term impact on the market price of the equity securities discussed in this report, which impact may be directionally counter to the analyst's published price target expectations for such stocks. Any such trading strategies are distinct from and do not affect the analyst's fundamental equity rating for such stocks, which rating reflects a stock's return potential relative to its coverage universe as described herein.

We and our affiliates, officers, directors, and employees will from time to time have long or short positions in, act as principal in, and buy or sell, the securities or derivatives, if any, referred to in this research, unless otherwise prohibited by regulation or Goldman Sachs policy.

The views attributed to third party presenters at Goldman Sachs arranged conferences, including individuals from other parts of Goldman Sachs, do not necessarily reflect those of Global Investment Research and are not an official view of Goldman Sachs.

Any third party referenced herein, including any salespeople, traders and other professionals or members of their household, may have positions in the products mentioned that are inconsistent with the views expressed by analysts named in this report.

This research is not an offer to sell or the solicitation of an offer to buy any security in any jurisdiction where such an offer or solicitation would be illegal. It does not constitute a personal recommendation or take into account the particular investment objectives, financial situations, or needs of individual clients. Clients should consider whether any advice or recommendation in this research is suitable for their particular circumstances and, if appropriate, seek professional advice, including tax advice. The price and value of investments referred to in this research and the income from them may fluctuate. Past performance is not a guide to future performance, future returns are not guaranteed, and a loss of original capital may occur. Fluctuations in exchange rates could have adverse effects on the value or price of, or income derived from, certain investments.

Certain transactions, including those involving futures, options, and other derivatives, give rise to substantial risk and are not suitable for all investors.

Investors should review current options and futures disclosure documents which are available from Goldman Sachs sales representatives or at <https://www.theocc.com/about/publications/character-risks.jsp> and https://www.fiadocumentation.org/fia/regulatory-disclosures_1/fia-uniform-futures-and-options-on-futures-risk-disclosures-booklet-pdf-version-2018. Transaction costs may be significant in option strategies calling for multiple purchase and sales of options such as spreads. Supporting documentation will be supplied upon request.

Differing Levels of Service provided by Global Investment Research: The level and types of services provided to you by Goldman Sachs Global Investment Research may vary as compared to that provided to internal and other external clients of GS, depending on various factors including your individual preferences as to the frequency and manner of receiving communication, your risk profile and investment focus and perspective (e.g., marketwide, sector specific, long term, short term), the size and scope of your overall client relationship with GS, and legal and regulatory constraints. As an example, certain clients may request to receive notifications when research on specific securities is published, and certain clients may request that specific data underlying analysts' fundamental analysis available on our internal client websites be delivered to them electronically through data feeds or otherwise. No change to an analyst's fundamental research views (e.g., ratings, price targets, or material changes to earnings estimates for equity securities), will be communicated to any client prior to inclusion of such information in a research report broadly disseminated through electronic publication to our internal client websites or through other means, as necessary, to all clients who are entitled to receive such reports.

All research reports are disseminated and available to all clients simultaneously through electronic publication to our internal client websites. Not all research content is redistributed to our clients or available to third-party aggregators, nor is Goldman Sachs responsible for the redistribution of our research by third party aggregators. For research, models or other data related to one or more securities, markets or asset classes (including related services) that may be available to you, please contact your GS representative or go to <https://research.gs.com>.


Disclosure information is also available at <https://www.gs.com/research/hedge.html> or from Research Compliance, 200 West Street, New York, NY 10282.

© 2023 Goldman Sachs.

No part of this material may be (i) copied, photocopied or duplicated in any form by any means or (ii) redistributed without the prior written consent of The Goldman Sachs Group, Inc.

MINDCRAFT: OUR THEMATIC DEEP DIVES

China Round-The-Clock Renewables



CHIPS Act Impact



Global CHIPS Act - US vs China



Make in India



Greater China Tech: Make in India



The Ecosystem of EV



The Ecosystem of Batteries



Carbonomics




Europe's Energy Crisis



China Agriculture




Precision Farming



Green Capex



The Circular Economy



Byte-ology



Gene Editing



The Metaverse



Cloud Computing




5G



Blockchain



Cars: The Road Ahead



Music in the Air



China Property




Age of Automation



China Post-95s



Silicon Carbide



China De-carbonization



Sustainable ESG Investing



Black Womenomics




Inclusive Growth



Market Cycles



Top of Mind



What Matters for IPOs



Top Projects



Tracking the Consumer




Balanced Bear




Clean Hydrogen



Green Metals



The Future of Work



MINDCRAFT
GS Research's Theme Bookshelf